


AMENDMENTS TO THE CLAIMS

This Listing of the Claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently Amended) A method for treating a mammal infected with respiratory syncytial virus (RSV), which comprises administering to the mammal a therapeutically effective amount of one or more compounds of formula I:



Formula I

or pharmaceutically acceptable salts or derivatives thereof, wherein

A, together with the atoms to which it is attached, forms an optionally substituted pyridyl ring;

linker -B-C- is an optionally substituted linker of the formula $-\text{CH}_2(\text{CH}_2)_z-$, where z is 1 or 2;

R₁ is optionally substituted aryl or heterocyclyl;

R₂ is ~~selected from~~ $-\text{C}(\text{O})\text{R}_3$ ~~and~~ $-\text{C}(\text{O})\text{N}(\text{R}_4)\text{R}_3$, where R₃ is selected from $-(\text{CH}_2)_m$ aryl and $-(\text{CH}_2)_m$ heterocyclyl; where m is 0 or 1; and when R₂ is $-\text{C}(\text{O})\text{R}_3$, R₃ is further selected from S-R₅ and O-R₅; m is 0-3; R₄ is hydrogen or C₁₋₆ alkyl; and the alkyl, aryl and heterocyclyl groups are optionally substituted; and

X is O.


2-8. (Cancelled).

9. (Previously Presented) The method according to claim 1, wherein ring A is optionally substituted with one or more substituents independently selected from halo, $-\text{NH}_2$, $-\text{NO}_2$, C₁₋₆ alkyl, aryl and heterocyclyl, where the aryl and heterocyclyl groups are optionally substituted with halo, C₁₋₆ alkyl or halo substituted C₁₋₆ alkyl, and the optional substituents are further selected from an N-oxide of the pyridyl ring nitrogen and pyridinium salts thereof.

10. (Previously Presented) The method according to claim 9, wherein ring A is optionally substituted with a substituent selected from halo, alkyl, C_6H_5- , $CH_3-C_6H_4-$, $CF_3-C_6H_4-$, pyridyl and $-NO_2$, and the optional substituent is further selected from an N-oxide form of the ring nitrogen, and pyridinium salts thereof.

11. (Previously Presented) The method according to claim 1, wherein ring A is not substituted.

12. (Previously Presented) The method according to claim 1, wherein the compound of formula I is a compound of the formula IV



Formula IV

or an N-oxide or pharmaceutically acceptable salt or derivative thereof.

13. (Currently Amended) The method according to claim 1, wherein R_2 is selected from $-C(O)R_3$ and $-C(O)N(R_4)R_3$, where R_3 is selected from $-(CH_2)_m$ aryl and $-(CH_2)_m$ heterocyclyl, and when R_2 is $-C(O)R_3$, R_3 is further selected from $-S-R_5$ and $-O-R_5$; m is 0-3; R_4 is hydrogen or is C_{1-6} alkyl; and the alkyl, aryl and heterocyclyl groups are optionally substituted with one or more substituents selected from C_{1-6} alkyl, C_{1-6} alkoxy, C_{2-6} alkenyl, C_{2-6} alkynyl, halo, halo- C_{1-6} alkyl, CF_3 , hydroxy, mercapto, nitro, cyano, NH_2 , mono and di(C_{1-6} alkyl)amino, phenyl, benzyl and heterocyclyl.

14-15. (Cancelled).

16. (Previously Presented) The method according to claim 1, wherein R_3 is optionally substituted and is selected from phenyl, naphthyl, furyl, thienyl, pyrrolyl, *H*-pyrrolyl, pyrrolinyl, pyrrolidinyl, oxazolyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, thiazolyl, isoxazolyl, furazanyl, isothiazolyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, imidazolyl, imidazolinyl, triazolyl, 1,2,3-triazolyl, 1,3,4-triazolyl, tetrazolyl, thiadiazolyl, 1,2,3-thiadiazolyl, 1,3,4-thiadiazolyl, pyridyl, pyrimidinyl, pyridazinyl, pyranyl, pyrazinyl, piperidinyl, 1,4-dioxanyl, morpholinyl, 1,4-dithianyl, thiomorpholinyl, piperazinyl, 1,3,5-trithianyl, triazinyl, 1*H*-thieno[2,3-*c*]pyrazolyl, thieno[2,3-*b*]furyl, indolyl, isoindolyl, benzofuranyl, benzothienyl,

benzoxazolyl, benzothiazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazolyl, indazolyl, isoquinolinyl, quinolinyl, quinoxalinyl, uridiny, purinyl, cinnolinyl, phthalazinyl, quinazolinyl, quinoxalinyl, benzotriazinyl, naphthyridinyl and pteridinyl.

17. (Previously Presented) The method according to claim 16, wherein R_3 is optionally substituted with one or more substituents selected from C_{1-6} alkyl, C_{1-6} alkoxy, C_{2-6} alkenyl, C_{2-6} alkynyl, halo, halo- C_{1-6} alkyl, CF_3 , hydroxy, mercapto, nitro, cyano, NH_2 , mono and di(C_{1-6} alkyl) amino, phenyl, benzyl and heterocyclyl.

18-22. (Cancelled).

23. (Previously Presented) The method according to claim 1, wherein linker -B-C- is not substituted.

24-25. (Cancelled).

26. (Currently Amended) The method according to claim 1, wherein R_1 represents phenyl, ~~thienyl, pyrrolyl, pyridyl, or pyridyl,~~ each optionally substituted with halo, hydroxy, nitro, - $NR'R''$, C_{1-12} alkyl, phenyl or - $O-R_a$, where R' and R'' are independently selected from hydrogen, lower alkyl and - $C(O)R$, where R is C_{1-6} alkyl, phenyl or heterocyclyl; R_a is - C_{1-12} alkyl, - C_{3-7} cycloalkyl, - C_{1-12} alkyl C_{3-7} cycloalkyl, phenyl or - C_{1-12} alkylphenyl; and the C_{1-12} alkyl, phenyl or R_a group is optionally substituted with halo, -CN, - $NR^{10}R^{11}$, - CO_2R^{12} or - $CONR^{10}R^{11}$, where R^{10} , R^{11} and R^{12} are independently selected from hydrogen and lower alkyl.

27. (Previous Presented) The method according to claim 1, wherein R_1 is phenyl optionally substituted with a substituent selected from halo, - C_{1-6} alkyl, - C_{1-6} alkylhalo, - C_{1-6} alkylCN, - OC_{1-6} alkyl, - OC_{1-6} alkylhalo, - OC_{1-6} alkyl CO_2NH_2 , - OC_{1-6} alkylCN, - OC_{1-6} alkyl C_{3-7} cycloalkyl, - OC_{1-6} alkyl C_6H_5 , - OC_{1-6} alkyl OCH_3 , - OC_6H_5 , - OC_6H_4 halo, - CF_3 , - OCF_3 , - $NR'R''$, - CO_2H , - CO_2C_{1-6} alkyl, - NO_2 , -OH, - C_6H_5 , - $C_6H_4C_{1-6}$ alkyl, - C_6H_4 halo and - $OC(O)C_{1-6}$ alkyl; where R' and R'' are independently selected from hydrogen, - $C(O)C_{1-6}$ alkyl, - $C(O)C_6H_5$, - $C(O)CH=CHCO_2H$, - $C(O)C_{1-6}$ alkyl CO_2H , - $C(O)C_{1-6}$ alkyl CO_2CH_3 , - $C(O)C_{1-6}$ alkyl C_6H_5 , - $C(O)C_{1-6}$ alkyl $C_6H_4CH_3$, - $C(O)C_{1-6}$ alkyl $C_6H_4OCH_3$ and - $C(O)C_{1-6}$ alkyl C_6H_4 halo.

28. (Currently Amended) The method according to claim 1, wherein R_1 is phenyl substituted with halo, C_{1-6} alkyl, - OC_{1-6} alkyl, - OC_{1-6} alkylhalo, - OC_{1-6} alkyl CO_2NH_2 , - OC_{1-6} alkylCN, - OC_{1-6} alkyl C_{3-7} cycloalkyl, - OC_{1-6} alkyl C_6H_5 or - OC_{1-6} alkyl OCH_3 .


29. (Previously Presented) The method according to claim 1, wherein R_1 is 4-chlorophenyl.

30. (Previously Presented) A method for the treatment of infections involving RSV by the inhibition of virus fusion processes, comprising administering a therapeutically effective amount of a compound of formula I as defined in claim 1, or a pharmaceutically acceptable salt or derivative thereof, to a patient in need of treatment.

31-36. (Cancelled).

37. (Previously Presented) The method of claim 1 for the treatment of human RSV.

38. (Currently Amended) A compound of formula I



Formula I

or a salt or pharmaceutically acceptable derivative thereof, wherein:

A, together with the atoms to which it is attached, represents an optionally substituted pyridyl;

linker -B-C- is an optionally substituted linker of the formula $-\text{CH}_2(\text{CH}_2)_z-$, where z is 1[[-4]];

R_1 is ~~selected from~~ C_{1-12} -alkyl, C_{2-12} -alkenyl, C_{2-12} -alkynyl, $(\text{CH}_2)_n\text{C}_{3-7}$ -cycloalkyl, $(\text{CH}_2)_n\text{C}_{4-7}$ -cycloalkenyl, $(\text{CH}_2)_n$ aryl, $(\text{CH}_2)_n$ aryl C_{1-12} -alkyl, $(\text{CH}_2)_n$ aryl C_{2-12} -alkenyl, $(\text{CH}_2)_n$ aryl C_{2-12} -alkynyl and $(\text{CH}_2)_n$ heterocyclyl; n is 0-6; and the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl and heterocyclyl groups are optionally substituted;

R_2 is $-\text{C}(\text{O})\text{R}_3$ ~~selected from~~ $-\text{CH}_2\text{R}_3$, $-\text{C}(\text{Y})\text{R}_3$, $-\text{C}(\text{Y})\text{OR}_3$, $-\text{C}(\text{Y})\text{N}(\text{R}_4)\text{R}_3$ and $-\text{S}(\text{O})_w\text{R}_5$; where R_3 is selected from $(\text{CH}_2)_m\text{C}_{3-7}$ -cycloalkyl, $(\text{CH}_2)_m\text{C}_{4-7}$ -cycloalkenyl, $(\text{CH}_2)_m$ aryl, $(\text{CH}_2)_m$ aryl C_{1-12} -alkyl, $(\text{CH}_2)_m$ aryl C_{2-12} -alkenyl, $(\text{CH}_2)_m$ aryl C_{2-12} -alkynyl and $(\text{CH}_2)_m$ heterocyclyl, where m is 0 or 1; and when R_2 is $-\text{CH}_2\text{R}_3$ or $-\text{C}(\text{Y})\text{R}_3$, R_3 is further selected from $-\text{S}-\text{R}_5$ and $-\text{O}-\text{R}_5$; m is 0-6; R_4 is hydrogen or C_{1-6} -alkyl; R_5 is C_{1-6} -alkyl, C_{2-6} -alkenyl, C_{2-6} -alkynyl, C_{3-7} -cycloalkyl, C_{4-7} -cycloalkenyl, benzyl, aryl or heterocyclyl; w is 0, 1 or 2; and the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl and heterocyclyl groups are optionally

substituted; and

~~X is and Y are independently selected from O, S and NR₆, where R₆ is independently selected from hydrogen, lower alkyl, hydroxy and lower alkoxy.~~

39-40. (Cancelled).

41. (Previously Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein ring A is optionally substituted with one or more substituents independently selected from halo, -NH₂, -NO₂, C₁₋₆ alkyl, aryl and heterocyclyl, where the aryl and heterocyclyl groups are optionally substituted with halo, C₁₋₆ alkyl or halo substituted C₁₋₆ alkyl, and the optional substituents are also an N-oxide of the pyridyl ring nitrogen.

42. (Previous Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein ring A is optionally substituted with a substituent selected from halo, alkyl, C₆H₅-, CH₃-C₆H₄-, CF₃-C₆H₄-, pyridyl and -NO₂, and the optional substituent is also an N-oxide form of the pyridyl ring nitrogen.

43. (Previously Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein ring A is not substituted.

44. (Currently Amended) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein R₂ is ~~-C(O)R₃ selected from -CH₂R₃, -C(Y)R₃, -C(Y)OR₃, -C(Y)N(R₄)R₃, -C(Y)CH₂N(R₄)R₃, -C(Y)CH₂SR₃ and -S(O)_wR₅~~, where R₃ is selected from ~~-(CH₂)_mC₃₋₇ cycloalkyl, -(CH₂)_mC₄₋₇ cycloalkenyl, -(CH₂)_m aryl, -(CH₂)_m arylC₁₋₁₂ alkyl, -(CH₂)_m arylC₂₋₁₂ alkenyl, -(CH₂)_m arylC₂₋₁₂ alkynyl and -(CH₂)_m heterocyclyl, and when R₂ is -CH₂R₃ or -C(Y)R₃, R₃ is further selected from -S R₅ and -O R₅; m is 0-6, R₄ is hydrogen or C₁₋₆ alkyl, R₅ is selected from C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₃₋₇ cycloalkyl, C₄₋₇ cycloalkenyl, benzyl, aryl and heterocyclyl; w is 0, 1 or 2, and the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl and heterocyclyl groups are optionally substituted with one or more substituents selected from C₁₋₆ alkyl, C₁₋₆ alkoxy, C₂₋₆ alkenyl, C₂₋₆ alkynyl, halo, halo-C₁₋₆ alkyl, CF₃, hydroxy, mercapto, nitro, cyano, NH₂, mono and di(C₁₋₆ alkyl) amino, phenyl, benzyl and heterocyclyl, the substituents being optionally substituted.~~

45. (Cancelled).

46. (Previously Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein R_2 is $-\text{COR}_3$, and R_3 is optionally substituted aryl or optionally substituted heterocyclyl.

47. (Previously Presented) The compound according to claim 46, or a salt or pharmaceutically acceptable derivative thereof, wherein R_3 is optionally substituted and is selected from phenyl, naphthyl, furyl, thienyl, pyrrolyl, *H*-pyrrolyl, pyrrolinyl, pyrrolidinyl, oxazolyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, thiazolyl, isoxazolyl, furazanyl, isothiazolyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, imidazolyl, imidazolinyl, triazolyl, 1,2,3-triazolyl, 1,3,4-triazolyl, tetrazolyl, thiadiazolyl, 1,2,3-thiadiazolyl, 1,3,4-thiadiazolyl, pyridyl, pyrimidinyl, pyridazinyl, pyranyl, pyrazinyl, piperidinyl, 1,4-dioxanyl, morpholinyl, 1,4-dithianyl, thiomorpholinyl, piperazinyl, 1,3,5-trithianyl, triazinyl, 1*H*-thieno[2,3-*c*]pyrazolyl, thieno[2,3-*b*]furyl, indolyl, isoindolyl, benzofuranyl, benzothienyl, benzoxazolyl, benzothiazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazolyl, indazolyl, isoquinolinyl, quinolinyl, quinoxalinyl, uridinyl, purinyl, cinnolinyl, phthalazinyl, quinazolinyl, quinoxalinyl, benzotriazinyl, naphthyridinyl and pteridinyl.

48. (Previously Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein R_3 is optionally substituted with one or more substituents selected from C_{1-6} alkyl, C_{1-6} alkoxy, C_{2-6} alkenyl, C_{2-6} alkynyl, halo, halo- C_{1-6} alkyl, CF_3 , hydroxy, mercapto, nitro, cyano, NH_2 , mono and di(C_{1-6} alkyl) amino, phenyl, benzyl and heterocyclyl, where the phenyl, benzyl and heterocyclyl groups are optionally substituted.

49-52. (Cancelled).

53. (Previously Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein the linker $-\text{B}-\text{C}-$ is not substituted.

54-56. (Cancelled)

57. (Currently Amended) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein R_1 represents phenyl, ~~thienyl, pyrrolyl, pyridyl or C_{1-6} alkylphenyl~~, each optionally substituted with halo, hydroxy, nitro, $-\text{NR}'\text{R}''$, C_{1-12} alkyl, phenyl or $-\text{O}-\text{R}_a$, where R' and R'' are independently selected from hydrogen, lower alkyl and $-\text{C}(\text{O})\text{R}$, where R is C_{1-6} alkyl, phenyl or heterocyclyl; R_a is $-\text{C}_{1-12}$ alkyl, $-\text{C}_{3-7}$ cycloalkyl, $-\text{C}_{1-12}$ alkyl C_{3-7} cycloalkyl, phenyl or $-\text{C}_{1-12}$ alkylphenyl; and the C_{1-12} alkyl, phenyl or R_a group

is optionally substituted with halo, $-\text{CN}$, $-\text{NR}^{10}\text{R}^{11}$, $-\text{CO}_2\text{R}^{12}$ or $-\text{CONR}^{10}\text{R}^{11}$, where R^{10} , R^{11} and R^{12} are independently selected from hydrogen and lower alkyl.

58. (Previously Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein R_1 is phenyl optionally substituted with a substituent selected from halo, $-\text{C}_{1-6}$ alkyl, $-\text{C}_{1-6}$ alkylhalo, $-\text{C}_{1-6}$ alkylCN, $-\text{OC}_{1-6}$ alkyl, $-\text{OC}_{1-6}$ alkylhalo, $-\text{OC}_{1-6}$ alkyl CO_2NH_2 , $-\text{OC}_{1-6}$ alkylCN, $-\text{OC}_{1-6}$ alkyl C_{3-7} cycloalkyl, $-\text{OC}_{1-6}$ alkyl C_6H_5 , $-\text{OC}_{1-6}$ alkyl OCH_3 , $-\text{OC}_6\text{H}_5$, $-\text{OC}_6\text{H}_4\text{halo}$, $-\text{CF}_3$, $-\text{OCF}_3$, $-\text{NR}'\text{R}''$, $-\text{CO}_2\text{H}$, $-\text{CO}_2\text{C}_{1-6}$ alkyl, $-\text{NO}_2$, $-\text{OH}$, $-\text{C}_6\text{H}_5$, $-\text{C}_6\text{H}_4\text{C}_{1-6}$ alkyl, $-\text{C}_6\text{H}_4\text{halo}$ and $-\text{OC}(\text{O})\text{C}_{1-6}$ alkyl; where R' and R'' are independently selected from hydrogen, $-\text{C}(\text{O})\text{C}_{1-6}$ alkyl, $-\text{C}(\text{O})\text{C}_6\text{H}_5$, $-\text{C}(\text{O})\text{CH}=\text{CHCO}_2\text{H}$, $-\text{C}(\text{O})\text{C}_{1-6}$ alkyl CO_2H , $-\text{C}(\text{O})\text{C}_{1-6}$ alkyl CO_2CH_3 , $-\text{C}(\text{O})\text{C}_{1-6}$ alkyl C_6H_5 , $-\text{C}(\text{O})\text{C}_{1-6}$ alkyl $\text{C}_6\text{H}_4\text{CH}_3$, $-\text{C}(\text{O})\text{C}_{1-6}$ alkyl $\text{C}_6\text{H}_4\text{OCH}_3$ and $-\text{C}(\text{O})\text{C}_{1-6}$ alkyl $\text{C}_6\text{H}_4\text{halo}$.


59. (Previously Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein R_1 is halo-phenyl.

60. (Previously Presented) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein R_1 is 4-chlorophenyl.

61. (Cancelled).

62. (Currently Amended) The compound according to claim 38, or a salt or pharmaceutically acceptable derivative thereof, wherein R_2 is $-\text{C}(\text{O})-\text{R}_3$ and R_3 is $-(\text{CH}_2)_m\text{-aryl}$ or $-(\text{CH}_2)_m\text{-heteroaryl}$, where m is 0 to 6, and the aryl or heteroaryl group is optionally substituted.

63. (Previously Presented) The compound according to claim 38 of the formula IV



Formula IV

or an N-oxide form or pyridinium salt thereof.

64. (Currently Amended) The compound according to claim 63, or an N-oxide form or pyridium salt thereof, wherein R_2 is $-C(O)R_3$ and R_3 is $-(CH_2)_m$ -aryl or $-(CH_2)_m$ -heteroaryl, where m is 0 to 6, and the aryl or heteroaryl group is optionally substituted.

65. (Currently Amended) A compound selected from the group consisting of:

9*b*-(4-chloro-phenyl)-1-(4-fluoro-benzoyl)-1,2,3,9*b*-tetrahydroimidazo[1',2':1,5]-pyrrolo[3,4-*b*]pyridin-5-one;

3*a*-(4-chloro-phenyl)-3-(4-fluoro-benzoyl)-1,2,3,3*a*-tetrahydro-3,6,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-fluoro-benzoyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(4-fluoro-benzoyl)-3*a*-*p*-tolyl-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-[2-(4-methoxy-phenyl)-acetyl]-3*a*-*p*-tolyl-1,2,3,3*a*-tetrahydro-3,6,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(2-chloro-phenyl)-3-(4-fluoro-benzoyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[2-(4-methoxy-phenyl)-acetyl]-1,2,3,3*a*-tetrahydro-3,6,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(4-fluoro-benzoyl)-3*a*-(4-trifluoromethyl-phenyl)-1,2,3,3*a*-tetrahydro-3,6,8*a*-triazacyclopenta[*a*]inden-8-one;

3-[2-(4-methoxy-phenyl)-acetyl]-3*a*-(4-trifluoromethyl-phenyl)-1,2,3,3*a*-tetrahydro-3,6,8*a*-triazacyclopenta[*a*]inden-8-one;

3-[2-(4-methoxy-phenyl)-acetyl]-3*a*-(4-trifluoromethyl-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[2-(4-methoxy-phenyl)-acetyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-fluoro-benzoyl)-5-oxy-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(4-fluoro-benzoyl)-3*a*-(4-methoxy-phenyl)-1,2,3,3*a*-tetrahydro-3,6,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-bromo-phenyl)-3-(4-fluoro-benzoyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-bromo-phenyl)-3-(4-fluoro-benzoyl)-1,2,3,3*a*-tetrahydro-3,6,8*a*-triazacyclopenta[*a*]inden-8-one;

9*b*-(4-chloro-phenyl)-1-(4-fluoro-benzoyl)-1,2,3,9*b*-tetrahydroimidazo[1',2':1,2]-pyrrolo[3,4-*b*]pyridin-5-one;

3*a*-(4-ethyl-phenyl)-3-(4-fluoro-benzoyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(6-chloro-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(6-chloro-pyridazine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-bromo-phenyl)-3-(6-fluoro-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-bromo-phenyl)-3-(6-fluoro-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,6,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(6-fluoro-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

9*b*-(4-chloro-phenyl)-1-(6-fluoro-pyridine-3-carbonyl)-1,2,3,9*b*-tetrahydroimidazo[1',2':1,2]pyrrolo[3,4-*b*]pyridin-5-one;

9*b*-(4-chloro-phenyl)-1-(6-fluoro-pyridine-3-carbonyl)-1,2,3,9*b*-tetrahydroimidazo[1',2':1,5]pyrrolo[3,4-*b*]pyridin-5-one;

3*a*-(4-ethyl-phenyl)-3-[2-(4-methoxy-phenyl)-acetyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-ethyl-phenyl)-3-(4-fluoro-benzoyl)-5-oxy-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-ethyl-phenyl)-3-[2-(4-methoxy-phenyl)-acetyl]-5-oxy-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-ethyl-phenyl)-3-(6-fluoro-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(6-phenoxy-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-thiophen-2-yl-thiazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4,5,6,7-tetrahydro-benzo[*c*]thiophene-1-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(benzo[*b*]thiophene-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(quinoline-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-pyridin-3-yl-thiazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-methyl-isoxazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(6-morpholin-4-yl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(1,3-dimethyl-1*H*-thieno[2,3-*c*]pyrazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-methyl-2-trifluoromethyl-furan-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-methyl-[1,2,3]thiadiazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-methyl-2-phenyl-2*H*-[1,2,3]triazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-phenyl-thiophene-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-phenyl-[1,2,3]thiadiazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[1-(4-fluoro-phenyl)-5-methyl-1*H*-pyrazole-4-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-phenyl-thiazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(3,5-dimethyl-isoxazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(1,3,5-trimethyl-1*H*-pyrazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-methyl-5-phenyl-furan-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-[2-(4-chloro-phenoxy)-pyridine-3-carbonyl]-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[2-(4-fluoro-phenoxy)-pyridine-3-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-ethylsulfanyl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-methylsulfanyl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-pentylsulfanyl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-phenylsulfanyl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-propylsulfanyl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-*p*-tolylsulfanyl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-chloro-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-phenoxy-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(5-bromo-pyridine-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-phenylethynyl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-[3*a*-(4-chloro-phenyl)-8-oxo-1,2,3*a*,8-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]indene-3-carbonyl]-isonicotinic acid methyl ester;

3*a*-(4-chloro-phenyl)-3-(5-hex-1-ynyl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-thiophen-2-yl-pyridine-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[6-(2,2,2-trifluoro-ethoxy)-pyridine-3-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[3-methyl-5-(4-methyl-[1,2,3]thiadiazol-5-yl)-isoxazole-4-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2,5-dimethyl-furan-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(furan-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(furan-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4,5-dimethyl-furan-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-phenylethynyl-furan-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

4-[3*a*-(4-chloro-phenyl)-8-oxo-1,2,3*a*,8-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]indene-3-carbonyl]-5-methyl-furan-2-sulfonic acid dimethylamide;

3*a*-(4-chloro-phenyl)-3-[1-(4-chloro-phenyl)-5-methyl-1*H*-pyrazole-4-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[1-(4-methoxy-phenyl)-5-methyl-1*H*-pyrazole-4-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2,5-dimethyl-2*H*-pyrazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(1,5-dimethyl-1*H*-pyrazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-ethyl-5-methyl-2*H*-pyrazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-phenyl-2*H*-pyrazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(1-phenyl-5-propyl-1*H*-pyrazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(5-*tert*-butyl-2-methyl-2*H*-pyrazole-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(4-bromo-2,5-dimethyl-2*H*-pyrazole-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(4-bromo-2-ethyl-5-methyl-2*H*-pyrazole-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-methyl-1-*o*-tolyl-1*H*-pyrazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-methyl-1-phenyl-1*H*-pyrazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(thiophene-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(thiophene-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(thieno[3,2-*b*]thiophene-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-pyridin-2-yl-thiophene-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-nitro-thiophene-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-nitro-benzo[*b*]thiophene-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(5-chloro-4-methoxy-thiophene-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(5-bromo-thiophene-2-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(5-bromo-4-methoxy-thiophene-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-methanesulfonyl-thiophene-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[5-(2-methyl-thiazol-4-yl)-thiophene-2-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-methoxy-thiophene-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(3-chloro-thiophene-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(3-chloro-4-methanesulfonyl-thiophene-2-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-methyl-thiazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(3-bromo-thiophene-2-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-([2,2']bithiophenyl-5-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(benzo[*b*]thiophene-2-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(isoxazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(3-ethoxy-thiophene-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(3-chloro-4-methyl-thiophene-2-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(3-methyl-5-phenyl-isoxazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

6-[3*a*-(4-chloro-phenyl)-8-oxo-1,2,3,8-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]indene-3-carbonyl]-nicotinic acid methyl ester;

3*a*-(4-chloro-phenyl)-3-(6-chloro-pyridine-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(5-chloro-2-methylsulfanyl-pyrimidine-4-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(pyridine-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-([1,2,3]thiadiazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-pyridin-4-yl-thiazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-methyl-2-pyrazin-2-yl-thiazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(benzofuran-2-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(benzo[*c*]isoxazole-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4,5-dichloro-isothiazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[5-(4-methoxy-phenyl)-oxazole-4-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-phenyl-oxazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-isopropyl-[1,2,3]thiadiazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[3-(4-methoxy-phenyl)-isoxazole-5-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[3-(4-chloro-phenyl)-isoxazole-5-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(1-methyl-3-trifluoromethyl-1*H*-pyrazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-methyl-2-pyridin-2-yl-thiazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(2-*p*-tolyl-thiazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-methyl-2-thiophen-2-yl-thiazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[2-(4-chloro-phenyl)-thiazole-4-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(3-phenyl-isoxazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-methyl-2-pyridin-3-yl-thiazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(2-chloro-5-isopropyl-thiazole-4-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[5-methyl-1-(4-nitro-phenyl)-1*H*-[1,2,4]triazole-3-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[2-(4-methoxy-phenyl)-thiazole-4-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-methyl-2-phenyl-thiazole-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-methyl-1*H*-pyrazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[3-(2-chloro-phenyl)-isoxazole-5-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(6-fluoro-pyridine-3-carbonyl)-5-oxy-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(pyrimidine-5-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-5-oxy-3-[2-(1-oxy-pyridin-3-yl)-thiazole-4-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(thiazole-4-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-methyl-furazan-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-isobutyl-isoxazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-isopropyl-2-phenyl-2*H*-pyrazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-furan-2-yl-isoxazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4,5,6,7-tetrahydro-benzo[*d*]isoxazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-pyrazol-1-ylmethyl-furan-2-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-[5-(4-chloro-phenyl)-isoxazole-3-carbonyl]-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(5-phenyl-isoxazole-3-carbonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3-(5-*tert*-butyl-2-phenyl-2*H*-pyrazole-3-carbonyl)-3*a*-(4-chloro-phenyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-(4-fluoro-benzyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-furan-2-ylmethyl-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-3-pyridin-3-ylmethyl-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

3*a*-(4-chloro-phenyl)-8-oxo-1,2,3*a*,8-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]indene-3-carboxylic acid benzylamide;

3*a*-(4-chloro-phenyl)-8-oxo-1,2,3*a*,8-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]indene-3-carboxylic acid phenylamide;

3*a*-(4-chloro-phenyl)-8-oxo-1,2,3*a*,8-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]indene-3-carbothioic acid benzylamide;

3*a*-(4-chloro-phenyl)-8-oxo-1,2,3*a*,8-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]indene-3-carbothioic acid phenylamide; and

3*a*-(4-chloro-phenyl)-3-(toluene-4-sulfonyl)-1,2,3,3*a*-tetrahydro-3,5,8*a*-triazacyclopenta[*a*]inden-8-one;

and salts or pharmaceutically acceptable derivatives thereof.

66. (Previously Presented) A pharmaceutical formulation comprising a compound of formula I according to claim 38, or a pharmaceutically acceptable salt or derivative thereof, and a pharmaceutically acceptable carrier or excipient.

67-80. (Cancelled).

81. (Previously Presented) The compound according to claim 38 in a substantially pure optically active form.

82-89. (Cancelled).

90. (New) The method according to claim 1, wherein R_3 is optionally substituted and is selected from phenyl, furyl, thienyl, oxazolyl, oxadiazolyl, thiazolyl, isoxazolyl, furazanyl, isothiazolyl, pyrazolyl, triazolyl, 1,2,3-triazolyl, thiadiazolyl, 1,2,3-thiadiazolyl, pyridyl, pyrimidinyl, and benzothienyl.

91. (New) The compound according to claim 46, or a salt or pharmaceutically acceptable derivative thereof, wherein R_3 is optionally substituted and is selected from phenyl, furyl, thienyl, oxazolyl, oxadiazolyl, thiazolyl, isoxazolyl, furazanyl, isothiazolyl, pyrazolyl, triazolyl, 1,2,3-triazolyl, thiadiazolyl, 1,2,3-thiadiazolyl, pyridyl, pyrimidinyl, and benzothienyl.